

60, 70 AND 100 LAWN TRACTORS

[illegible]

JOHN DEERE LAWN TRACTORS

60, 70 and 100 Lawn Tractors

L35-920-1

STX30, STX38 AND STX46 LAWN TRACTORS

MOWERS, REAR BAGGERS AND ATTACHMENTS																			
TRACTOR										ATTACHMENT									
STX 30	STX38 (yellow mower)	STX38 5-Speed (94-'95)	STX 38 Hydro (94-'95)	STX46 5-Speed (94-'95)	STX46 Hydro (94-'95)	STX38 5-Speed (96-'97)	STX 38 Hydro (96-'97)	STX46 5-Speed (96-'97)	STX46 Hydro (96-'97)										
					X	X				38-in. Mower (Black-with gauge wheels) (For tractors w/20-in. rear tires)									BM18619
	X	X								38-in. Mower (Black-with gauge wheels) (For tractors w/18-in. rear tires)									BM18676
				X	X			X	X	46-in. Mower									BM18353
X	X									6-1/2 Bushel Rear Grass Bagger									BM16868
	X	X	X	X	X	X	X	X	X	6-1/2 Bushel 2-Bag Power Flow (A) (B)	2701M								BM16511
P	P	P	P			P	P			7 Bushel Hopper Assembly (A) (B) (C)									BM18673
				P	P			P	P	7 Bushel Hopper Assembly (A) (B) (E)									BM18673
X	X	X	X			X	X			7 Bushel Hopper Assembly (A) (B) (C)									BM20453
				X	X			X	X	7 Bushel Hopper Assembly (A) (B) (E)									BM20453
P	P	P	P			P	P			Rear Bagger Chute (7 Bushel) for 30-in., 38-in. Side-Discharge Mowers									BM19137
P	P	P	P			P	P			Rear Bagger Chute (7 Bushel) for 30-in., 38-in. Side-Discharge Mowers									BM20398
X	X	X	X			X	X			Rear Bagger Chute (7 Bushel) for 30-in., 38-in. Side-Discharge Mowers									BM20982
				X	X			X	X	Power Flow Chute (7 Bushel) for Blower Assembly and QT Blower Assembly for 38-in., 46-in. Side-Discharge Mower									BM18851 or BM20988
	X	X	X			X	X			Blower Assembly for 38-in. Side-Discharge Mower, Yellow Deck (D)									BM16659
	P	P	P			P	P			Blower Assembly for 38-in. Side-Discharge Mower, Black Deck (D)									BM18067
	X	X	X			X	X			QT Blower Assembly for 38-in. Side-Discharge Mower (D)									BM18770 (Yellow Deck) BM18771 (Black Deck)
				X	X			X	X	Blower Assembly for 46-in. Side-Discharge Mower (F)									BM18345

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - Requires BM16674 Discharge Chute for 6-1/2 Bushel Power Flow and also appropriate blower; BM16659 (STX 38 [-1993]), BM18067 (STX38 [1994-]), BM18345 (STX46), BM16659, BM18067, and BM18345 Blowers are compatible with 7 Bushel Rear Bagger using BM18851 Discharge Chute.

(B) - BM18770 38-in. Power Flow Quik-Tatch fits LX and all other 38-in. yellow mower decks in lawn tractor applications. BM18771 38-in. Power Flow Quik-Tatch fits STX38 black mower deck applications only. BM18795 Power Flow Chute required for use with BM18770 and BM18771 38-in. QT Power Flow Blowers and 6-1/2 Bushel Hopper.

(C) - Requires appropriate Rear Bagger Chute OR Blower Assembly and Power Flow Chute. See this page for Mower and Blower Assembly compatibility. Blower Assembly NOT available for 30-in. Mower. Converting existing 6-1/2 Bushel Rear Grass Bagger or 2-Bag Power Flow Hopper Assemblies to a 7 Bushel Hopper Assembly requires BM20398 Rear Bagger Chute (7 Bushel) OR BM18851 Power Flow Chute (7 Bushel).

(D) - Requires BM18851 Power Flow Chute when used with 7 Bushel Hopper Assembly. BM18770 and BM18771 38-in. QT Blower Assemblies are compatible with BM16511 6-1/2 Bushel Hopper Assembly by using BM18795 Power Flow Chute.

(E) - Requires BM18851 Power Flow Chute and BM18345 Blower Assembly. Converting 6-1/2 Bushel Power Flow Hopper Assembly to a 7 Bushel Hopper Assembly requires BM18851 Power Flow Chute (7 Bushel).

(F) - Requires BM18851 Power Flow Chute (7 Bushel) or BM16674 Power Flow Chute (6-1/2 Bushel).

TRACTOR TRUNK, SPRAYERS, THATCHERS, AND TOW-BEHIND EQUIPMENT																			
TRACTOR										ATTACHMENT									
STX 30	STX38 (yellow mower)	STX38 5-Speed	STX 38 Hydro	STX46 5-Speed	STX46 Hydro	STX38 5-Speed ('96-'97)	STX 38 Hydro ('96-'97)	STX46 5-Speed ('96-'97)	STX46 Hydro ('96-'97)									CODE	NUMBER
X	X	X	X	X	X	X	X	X	X										2 cu. ft. Tractor Trunk (A)
X	X	X	X	X	X	X	X	X	X										15 Gallon Tractor Trunk Sprayer (A)
X	X	X	X	X	X	X	X	X	X									1170M	15 Gallon Sprayer (B)
P	P	P	P	P	P	P	P	P	P										15 Gallon Sprayer (2 wheels)
X	X	X	X	X	X	X	X	X	X										15 Gallon Sprayer (2 wheels)
X	X	X	X	X	X	X	X	X	X										25 Gallon Sprayer (2 wheels)
X	X	X	X	X	X	X	X	X	X										25 Gallon Portable Sprayer (No wheels)
P	P	P	P	P	P	P	P	P	P										6 Gallon Sprayer (C)
P																			Thatcher (30-in.) (D)
	X	X	X	X	X	X	X	X	X										Thatcher (38-in.) (D) (E)
X	X	X	X	X	X	X	X	X	X										40-in. Tow-Behind Thatcherator
X	X	X	X	X	X	X	X	X	X										40-in. Tow-Behind Spiker Aerator
X	X	X	X	X	X	X	X	X	X										40-in. Tow-Behind Plug Aerator
X	X	X	X	X	X	X	X	X	X										40-in. Tow-Behind Aerator/Spreader
X	X	X	X	X	X	X	X	X	X										36-in. Tow-Behind Lawn Roller
Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.																			
(A) - Requires BM19210 2 cu. ft. Tractor Trunk and BM19211 Mounting Parts.																			
(B) - Requires BM22355 Wheel Kit.																			
(C) - Requires one each M86566 Support, M84482 Pin, J16931 Spring Clip and two each 03H1268 Bolt, 14H785 Nut if tractor is not equipped with 6-1/2 Bushel Rear Bagger mounting bracket.																			
(D) - STX requires BM22299 Mounting Frame for STX (-1993) or BM18166 Mounting Frame for STX through 1995 or BM18884 Mounting Frame for all STX.																			
(E) - TY13036 Thatcher 8-in. Tine Extension available.																			

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.
(A) - Requires BM16778 Mounting Hardware and Lift System.
(B) - AM103841 is made up of the following parts: one M72487 Plate, two 03H2272 Bolts and two 14H819 Wing Nuts.
(C) - Use with two R66949 Suitcase Weights.

L SERIES LAWN TRACTORS

[illegible]

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - BG10185 includes only one front wheel weight and hardware. Two must be ordered to install one on each front wheel.

L SERIES LAWN TRACTORS

[illegible]

LT and LTR Lawn Tractors

LT AND LTR LAWN TRACTORS

ROTARY MOWER MULCHING AND MISCELLANEOUS ATTACHMENTS																		
TRACTOR															ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER

MATERIAL COLLECTION SYSTEMS																			
TRACTOR														ATTACHMENT		CODE	NUMBER	ATTACHMENT SERIAL NUMBER	
LT133 38" Tractor (10001-)	LT155 38" Tractor (10001-)	LT155 Freedom42" Tractor (10001-)	LT166 38" Tractor (45001-)	LT166 Freedom42" Tractor (10001-)	LT166 46" Tractor (10001-)	LT166 48" Tractor (85001-)	LT150 38" 5-Speed Tractor (10001-)	LT150 38" Hydro Tractor (10001-)	LT160 Freedom42" Tractor (10001-)	LT160 42" Tractor (10001-)	LT170 Freedom42" Tractor (10001-)	LT180 48" Tractor (10001-)	LT190 48" Tractor (50001-)	LTR166 42" R. Dis. Tractor (10001-)	LTR180 42" R. Dis. Tractor (10001-)				
P	P		P													6-1/2 Bushel Rear Grass Bagger (A)		BM17300	
P	P		P		P											6-1/2 Bushel 2-Bag Power Flow - 38-in. and 46-in. mower (A,B)		BM19223	
P	P		P													7 Bushel Hopper Assembly (D)		BM18674	
					P	P										7 Bushel Hopper Assembly (E)		BM18674	
X	X		X				X	X		X						7 Bushel Hopper Assembly (D)		BM20454	
					X	X						X	X			7 Bushel Hopper Assembly (E)		BM20454	
														X	X	8-1/2 Bushel Hopper		BM20460	
P	P		P													Rear Bagger Chute (7 Bushel) for 38-in. Side-Discharge Mowers		BM19137	
P	P		P													Rear Bagger Chute (7 Bushel) for 38-in. Side-Discharge Mowers		BM20398	
X	X		X				X	X								Rear Bagger Chute (7 Bushel) for 38-in. Side-Discharge Mowers		BM20493	
									X							Rear Bagger Chute (7 Bushel) for 42C 42-in. Convertible Mower		BM20942	
X	X		X		X	X	X	X				X	X			Power Flow Chute (7 Bushel) for Blower Assembly and QT Blower Assembly for 38-in., 46-in. and 48-in. Mowers		BM18851 or BM20988 (H)	
X	X		X													QT Blower Assembly for 38-in. Side-Discharge Mower (F)		BM19360	
						X	X									QT Blower Assembly for 38-in. Side-Discharge Mower (F, H)		BM20004	
					X											Blower Assembly for 46-in. Side-Discharge Mower (G)		BM19359	
					X											QT Blower Assembly for 48-in. Convertible Mower (G)		BM19893	
					P						P	P				QT Blower Assembly for 48-in. Convertible Mower (C, G)		BM20793	
					X						X	X				QT Blower Assembly for 48-in. Convertible Mower (G)		BM21380	
Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.																			
(A) - Requires BM19416 Mounting Bracket.																			
(B) - BM19223 6-1/2 Bushel Power Flow requires BM19360 Blower for 38-in. mower. BM19223 6-1/2 Bushel Power Flow requires BM19359 Blower for 46-in. mower.																			
(C) - Use on LT190 Lawn Tractor requires Power Flow Operator's Manual M149901 or refer to DTAC Solution M61037 for correct installation instructions.																			
(D) - Requires appropriate Rear Bagger Chute OR Blower Assembly and Power Flow Chute. See this page for Mower and Blower Assembly compatibility. Converting existing 6-1/2 Bushel Rear Grass Bagger or 2-Bag Power Flow Hopper Assembly to a 7 Bushel Hopper Assembly, requires BM20493 Rear Bagger Chute (7 Bushel) OR BM18851 Power Flow Chute (7 Bushel).																			
(E) - Requires BM19359 (46-in.) or BM19893 (48-in.) Blower Assembly and BM18851 Power Flow Chute.																			
(F) - Requires BM18851 Power Flow Chute for use with 7 Bu. Hopper Assy. BM19360 QT Blower Assy. is compatible with 6-1/2 Bushel 2-Bag Power Flow Hopper Assembly using BM18795 Discharge Chute.																			
(G) - Requires BM18851 Power Flow Chute for use with 7 Bushel Hopper Assy. BM19359 Blower Assembly is compatible with 6-1/2 Bushel 2-Bag Hopper Assembly using BM16674 Discharge Chute. Wider spacing of LT150-LT180 rear wheels will interfere with BM19893 Blower.																			
(H) - A 38QT Power Flow Blower on an LT150, LT160, LT170 or LT180 requires BM20988 Power Flow Chute. BM18851 Chute will interfere with tire on these models.																			

[illegible]

MISCELLANEOUS																					
TRACTOR															ATTACHMENT				CODE	NUMBER	ATTACHMENT SERIAL NUMBER
LT133 38" Tractor (10001-)	LT155 38" Tractor (10001-)	LT155 Freedom42" Tractor (10001-)	LT166 38" Tractor (45001-)	LT166 Freedom42" Tractor (10001-)	LT166 46" Tractor (10001-)	LT166 48" Tractor (85001-)	LT150 38" 5-Speed Tractor (10001-)	LT150 38" Hydro Tractor (10001-)	LT160 Freedom42" Tractor (10001-)	LT160 42" Tractor (10001-)	LT170 Freedom42" Tractor (10001-)	LT180 48" Tractor (10001-)	LT190 48" Tractor (50001-)	LTR166 42" R. Dis. Tractor (10001-)	LTR180 42" R. Dis. Tractor (10001-)						
X	X	X	X	X	X	X		X	X					X							
							X	X						X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
												X									
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
	X	X	X	X	X	X															
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X				X	X	X	X												
			X	X	X	X					X	X	X	X	X						
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X					X	X	X												
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
												X									
												X									
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
												X									
												X									
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X	X		X	X							
X	X	X	X	X	X	X	X	X	X	X											

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.
(A) - A total of four seat springs can be installed to adjust suspension for operator comfort.

LX AND 100 SERIES LAWN TRACTORS

[illegible]

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - Cartoned mower does not include front draft arm assembly. It is included with 1995 and later tractors. Order from tractor (Parts) if needed.

(B) - Requires M118684 Primary Belt for use on LX200 Series Tractors.

(C) - LX277AWS requires AM117017 LH Rear Mower Gauge Wheel Arm due to interference with rear tractor tire.

(D) - LX255, LX266, LX277, LX279, and LX288 require AM120007 LH Rear Mower Gauge Wheel Arm for optimum rear gauge wheel location with rear tractor tire.

[illegible]

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - AM102907 Retro-Fit Kit and AM38211 Welded Support required for 108, 111, 111H, 112L, 116 and 116H Tractors.

(B) - Order LX Mounting Kit, BM16980, for 130, 160, 165, 170, 175, 180 and 185 Tractors and parts for 100 series tractors. (See Parts Microfiche)

(C) - BM16776 Snow Thrower can be adapted to fit LX100 Series Tractors by replacing AM104840 Rockshaft with AM108314 Rockshaft. Or AM104840 Rockshaft can be physically adapted by replacing welded lift rod pin with a longer pin. Length of new welded pin required is 38 mm (1.5-in.). BM16980 Mounting Kit is also required for LX100 Series Tractors.

(D) - BM16980 Mounting Kit required for LX172, LX173, LX176, LX178, LX186 and LX188 Tractors. For LX255-LX288, adjustments must be made to lift links so that tractor lift lever will latch in up position.

(E) - Requires BM18977 Lift Kit and BM19215 Attaching Parts. LX172-LX188 also require BM19407 Mounting Parts.

(F) - Requires M94976 Mounting Bracket. The Remote Spout Cap is standard equipment on the 42-in. Snow Thrower.

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - Requires BM19211 Mounting Parts for LX277AWS, LX280, LX280AWS, and LX289.
(B) - Requires BM19210 Tractor Trunk.
(C) - Requires one each M111130 Support, M84482 Pin, J16931 Spring Clip, and four each 19M7866 Bolt, 14M7298 Nut. On LX200 Tractors, must drill three 3/8-in. holes in tractor hitch plate to install bracket and drill two holes in sprayer mounting post 1-in. below standard holes.
(D) - TY13036 Thatcher Tine Extension available.

MISCELLANEOUS ATTACHMENTS

TRACTOR		ATTACHMENT	CODE	NUMBER
108 Tractor (095,001-190,000)				
108 Tractor (190,001-360,000)				
111 Tractor (095,001-190,000)				
111 Tractor (190,001-285,000)				
111 Tractor (295,001-360,000)				
111H Tractor (220,001-285,000)				
111H Tractor (285,001-315,000)				
112L Tractor (315,001-360,000)				
116 38" Tractor (191,000-285,001)				
116 46" Tractor (200,001-285,001)				
116H 38" Tractor (232,001-285,001)				
116H 46" Tractor (236,001-285,001)				
116 38" Tractor (285,001-360,000)				
116 46" Tractor (295,001-360,000)				
116H 38" Tractor (290,001-360,000)				
116H 46" Tractor (300,001-360,000)				
130 Tractor (360,001-595,000)				
160 Tractor (360,001-595,000)				
165 Tractor (360,001-595,000)				
170 38" Tractor (595,001-)				
175 38" Tractor (420,001-)				
180 38" Tractor (360,001-)				
180 46" Tractor (366,001-)				
185 38" Tractor (372,001-)				
185 46" Tractor (378,001-100,000)				
LX172 (010001-)	X			
LX173 (010001-)	X			
LX176 (010001-)	X			
LX178 (010001-)	X			
LX186 (010001-)	X			
LX188 (040001-)	X			
LX255 (010001-)	X			
LX266 (060001-)	X			
LX277 (010001-)	X			
LX277AWS (010001-)	X			
LX279 (010001-)	X			
LX288 (010001-)	X			
LX280 (010001-)	X			
LX280 AWS (010001-)	X			
LX289 LC (010001-)	X			
		Spark Arrestor Screen for Muffler		AM115837
		Spark Arrestor Screen for Muffler		AM123168
	P	Lift Assist Kit		AM39905
	P	Lift Assist Kit		AM100607
		Protective Cover		AM38256
		Protective Cover		AM102453
		Protective Cover		AM31711
X	X	Economy Protective Cover		M131120
	P	Forward/Reverse Hand Control Kit		BM19690
	X	Light Kit (A)		AM38680
		Light Kit (A)		AM101410
		Light Kit		AM102433
		Light Kit		AM104928
		Weather Enclosure		TY15995
		Weather Enclosure, soft panel door		TY16188
		Weather Enclosure		TY24857
		Ignition Keys Display Package		AM101600
		Hourmeter, Round		AM103392
		Hourmeter, Rectangular		AM128087
X	X	Battery Charger 110 Volt		AM36786
		Poly-Foam Seat Spring (B)		M127973
		Umbrella		TY16110
X	X	Front Wheel Cover, 6-in. Chrome		M42182, M150361
X	X	Wheel Cover, 8-in. Chrome		M42183, M150362
		Rear Wheel Cover, 10-in. Chrome		M150363
X	X	Front Wheel Cover, 6-in. Yellow Plastic		M118001
X	X	Rear Wheel Cover, 8-in. Yellow Plastic		M96337
		Front Wheel Cover, 8-in. Yellow Plastic		M96337

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - Will not fit 111 Hydrostatic (220,001-220,500).

(B) - A total of four springs can be installed to adjust for operator comfort.